



Low voltage capsule -Transversal Filament TU\*M47/H Q20/12V/TR/CL G4 GE BX 1/20 MIH

34715

### **Product information**

These lamps are made from a quartz material which blocks virtually all UV-B and UV-C radiation. With a transmission cut-off wavelength of between 350 and 400 nm, it is ideal for lamps requiring maximum visible transmittance with nearly complete UV protection. The lamps use doped quartz which is an effective barrier to potentially harmful ultra-violet radiation while maintaining the other high quality properties of standard clear fused quartz.

The axial filament types have been specifically developed to satisfy the demand for a wide smooth beam with a good cut-off, from a miniature linear reflector, for the uniform lighting of vertical surfaces, for table lamps for task lighting, or for wall mounted or portable uplighters. With all wattages having the axial filament at the same light centre, one luminaire design may cover a range of illuminances for a variety of residential and commercial requirements. When used in spot reflectors these lamps may also be more efficient alternatives to transverse filament types, because a





# Low voltage capsule - Transversal Filament TU\*M47/H Q20/12V/TR/CL G4 GE BX 1/20 MIH

34715

substantial portion of the filament will always be in the focal point.



34715



### **Product data**

Cap/Base	G4
Bulb Shape	Tubular
Bulb Diameter [mm]	8
Dimming Capability	Yes
Maximum Overall Length [mm]	33
DUN Code	30043168347151
EAN Code	9004102347156
Net weight per piece [g]	1
Gross weight per piece [g]	4
Brand	General Electric (GE)

### Performance data

Nominal power [W]	20
Nominal lamp voltage [V]	12
Nominal lumens [lm]	380
Rated efficacy [lm/W]	19
Colour temperature [K]	2900
Colour Rendering Index (CRI) [Ra]	100
Rated Life [h]	2000
Coil type	C-6
Energy efficiency class (EEC)	С
Weighted energy consumption [kWh/1000h]	22.61

## Low voltage capsule - Transversal Filament TU\*M47/H Q20/12V/TR/CL G4 GE BX 1/20 MIH

34715

### Logistic data

Pack Quantity	20
Layer quantity	6400 EUR, 8400 UK
Layer quantity EUR	6400
Layer quantity UK	8400
Pallet quantity EUR (PC)	32000
Pallet quantity UK (PC)	42000
Outer case size	131 × 90 × 40 (mm)
Product status	Available while stock lasts

### **Application areas**





#### **Downloads & Links**

Go to the catalog site (HTTP) Halogen Lamps Spectrum Catalogue (PDF) Low Volt. Single Ended Caps. Data sheet (PDF) Lighting design tools & calculators (HTTP)